



Custom Molded Rubber Seal

Rubber seals are used in numerous industries to prevent the unwanted leakage of liquids and gases in various components such as pumps, valves, pipe fittings, and vacuum seals and so on.

Product Introduction of the Rubber Seal.

Liangju Rubber produces the highest quality seal seals and custom molded rubber products for a variety of industries around the world. Each Seal we manufacture is manufactured to strict ASTM, FDA or customer specifications using only the best quality raw materials. Our high-volume production equipment and management systems ensure the best value and 100% guarantee of customer satisfaction.

Our custom molded rubber seal are made in all standard AS568 and metric sizes, and we also offer custom sizes

Seal size standards: USA AS568 O-Rings, 2- Parker O-Rings, Japanese JIS O-Rings, Metric O-Rings, British BS1806, Custom O-Rings typically with no tool fees.

Our knowledge and experience in seal technology can help you achieve the best ways to:

seal out contaminants contain fluids, particulates, light or noise shield EMI/RFI seal within harsh or unique environments cushion or protect your product

Xiamen Liangju Rubber Technology Co., Ltd.





Product Parameter (Specification)

Product Name:	Rubber Seal
Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard
Color:	Any size, Customized/standard and nonstandard
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Varies
Warranty:	2years

our service.

1. Inquiry about our products can be replied within 12 hours.

2. Professional & experienced staff help you solve problems of silicone and rubber products.

3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.

4. Mode of production: Compression or injection or extrusion.

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151



www.tec-rubber.com

5.We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.

Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



Dimensional Inspection



In-process QC



Incoming QC



In-process QC



In-process QC



FQC

4. Quality Control and Certifications

We serve our customers with high quality Customized Shape Custom rubber gaskets by strictly follow ISO 9001:2015 and IATF 16949.

Xiamen Liangju Rubber Technology Co., Ltd.



5. Packing, Payment and Shipping

Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no mater domestic or oversea shipping. Customized Packing/LOGO/Labeling are Available.



www.tec-rubber.com



ISO 9001 : 2015

IATF 16949 : 2016



6. FAQ

1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.

2. If OEM is acceptable?

Yes, Samples are Free of charge

3. What Is EPDM Rubber ?

Xiamen Liangju Rubber Technology Co., Ltd.



www.tec-rubber.com

EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.