E-mail: Dylan@tec-rubber.com







Custom Rubber Caps

We focus on producing many types of Custom Rubber Caps to meet all your product protection, shielding or finishing requirements. Accept a variety of customized silicone and EPDM rubber bottle caps.

Product Introduction of the custom rubber cap.

A custom rubber caps is a plug designed for insertion into the end of a pipe to stop the flow of water, wastewater, stormwater or sewage to allow work crews the opportunity to effect repairs to the pipeline.

custom rubber caps may be conical, to fit into pipes ranging in size from the smallest diameter of the cone-shaped plug to the plug's largest diameter. They may be round inflatable or use a mechanical system to hold them in place.

1.It is used for the protection of screw holes and bolts in electroplating, electrophoresis, powder spraying, painting, sandblasting, shot blasting, anodizing, plastic spraying and other surface treatments, and can also be used for anti-collision and dust protection of some workpieces with precision threads.

Compared with plastic sleeve, it has the advantages of variable size, wide application range and aging resistance. Compared with PVC plastic sleeve, it has significant advantages such as thicker wall thickness and more collision resistance.

- 2. Normal temperature resistance 260 °C short-term temperature resistance 315 °C
- 3. acid and alkali resistance, corrosion resistance
- 4. can also be used in mechanical equipment transportation or precision workpiece in the workshop processing flow to protect the stud

Tel: +86-592-7255151











Product Parameter (Specification)

Product Name:	custom rubber caps
Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard
Color:	Any size, Customized/standard and nonstandard
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Varies
Warranty:	2years

our service.

- 1. Inquiry about our products can be replied within 12 hours.
- 2. Professional & experienced staff help you solve problems of silicone and rubber products.
- 3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.
- 4. Mode of production: Compression or injection or extrusion.
- 5.We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151 E-mail: Dylan@tec-rubber.com




Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



QC Flow



Dimensional Inspection



Incoming QC



In-process QC



In-process QC



In-process QC



FQC

5. Packing, Payment and Shipping

Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no mater domestic or oversea shipping. Customized Packing/LOGO/Labeling are Available.

Tel: +86-592-7255151










ISO 9001: 2015

IATF 16949: 2016



6. FAQ

1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.

2. If OEM is acceptable?

Yes, Samples are Free of charge

3. What Is EPDM Rubber?

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com



EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.

Tel: +86-592-7255151